

## TOROTEC RUNNING IN OIL

**Product Code:** PCM006 | **Revision:** 20220614



Monograde mineral based running in engine oil.

### Available Pack Sizes



### Applications

A carefully selected base oil is blended with an additive system that ensures piston rings remain free from carbon deposits. Ensuring engines remain clean when drained and the anti-foam properties ensure that a full fluid film remains at critically loaded points, thus providing optimum engine protection.

Recommended by Aztec Oils as suitable for the following applications

API SE/CC

### Benefits

- Increases resistance to carbon deposit formation.
- Prevents glazing of the engine cylinder bores.
- Promotes the quick and safe bedding in of mating surfaces.
- Suitable for static non-turbo charged diesel engines and small petrol units.

### Typical Test Data

Density @ 15°C	ASTM D4052	0.878
Flash Point (°C)	ASTM D92	>200
Kinematic Viscosity @ 40°C (mm/s <sup>2</sup> )	ASTM D445	80
Kinematic Viscosity @ 100°C (mm/s <sup>2</sup> )	ASTM D445	11.5
Pour Point (°C)	ASTM D97	-20
Total Base Number (mg KOH/g)	ASTM D2896	7
Viscosity Index	ASTM D2207	135

The typical test data provided is taken from average values, there will be some variability in production and therefore do not constitute a specification.

### Health, Safety & Recommendations

- A Safety Data Sheet is available for consultation at [www.aztecoils.co.uk](http://www.aztecoils.co.uk).
- Before using this product, the vehicles maintenance guide should be checked and oil changes must be carried out in accordance with the manufacturers' recommendations.
- This product should not be stored at temperatures over 60°C, kept out of direct sunlight, protected from frost and fluctuations in temperature.
- Packaging should not be left exposed to elements and drums should be laid horizontally to prevent contamination.
- When disposing of the product after use, please protect the environment and comply with local regulations.

In line with our policy of continued improvement, Aztec Oils reserve the right to change specifications and availability without prior notice. This product, used according to our recommendations and for its designed application, does not represent any particular risk. The information present in this technical data sheet is indicative of the product and is given in good faith, but should not form part of any specification.