


AGRITEC BANDSAW 12

Product Code: AGR018 | **Revision:** 20240819



Mineral oil based neat cutting fluid for sawmills.

Available Pack Sizes



Applications

High-quality solvent refined mineral oil designed for the lubrication of band and circular saw blades. Particularly formulated to make the cutting process smoother, minimise heat build-up in the blades by cooling and reducing friction. Predominantly used by proactive sawmills to greatly improve the life and reliability of the blades, complies with health and safety requirements and improves the work piece visibility.

Benefits

- Excellent anti-wear properties.
- High self-ignition temperature and flash point.
- Improves finish quality.
- Lower maintenance costs thanks to improving the lifespan of the saw blade.
- Prevents corrosion.
- Reduces pitch build-up on blades.

Typical Test Data

Density @ 15°C (kg/m ³)	ASTM D4052	0.84
Flash Point (°C)	ASTM D92	>130
Kinematic Viscosity @ 40°C (mm ² /s)	ASTM D445	12
Pour Point (°C)	ASTM D97	-15

The typical test data provided is taken from average values, there will be some variability in production and therefore do not constitute a specification.

Health, Safety & Recommendations

- A Safety Data Sheet is available for consultation at www.aztecoils.co.uk.
- Before using this product, the equipment's maintenance guide should be checked and oil changes must be carried out in accordance with the manufacturers' recommendations.
- Packaging should not be left exposed to elements and drums should be laid horizontally to prevent contamination.
- This product should not be stored at temperatures over 60°C, kept out of direct sunlight, protected from frost and fluctuations in temperature.
- When disposing of the product after use, please protect the environment and comply with local regulations.

In line with our policy of continued improvement, Aztec Oils reserve the right to change specifications and availability without prior notice. This product, used according to our recommendations and for its designed application, does not represent any particular risk. The information present in this technical data sheet is indicative of the product and is given in good faith, but should not form part of any specification.