


METALTEC MIRACUT CF 8

Product Code: NEAT042 | **Revision:** 20240821



A low viscosity & general-purpose chlorine free neat metal working fluid.

Available Pack Sizes



Applications

A high performance and chlorine free neat cutting oil developed to provide exceptional performance on deep hole boring, drilling and broaching operations. Blended from top quality solvent refined base oils together with special sulphurised fatty additives for better operator acceptability, this cutting oil is virtually odourless in operation.

Recommended by Aztec Oils as suitable for the following applications

Deep hole drilling, boring and broaching operations, or operations that require a low viscosity product with high E.P. performance levels.

Benefits

- Anti-mist and chlorine free for a safer and healthier environment.
- Contains lubricity additives to lower friction.
- Good drain down characteristics – therefore low consumption.
- Excellent tool life.
- Exceptional results on a wide range of materials.
- Low viscosity for superb heat dissipation.

Typical Test Data

Copper Corrosion (3h/100°C)	ASTM D130	1
Density @ 15°C (kg/m ³)	ASTM D4052	0.85
Flash Point (°C)	ASTM D92	>120
Kinematic Viscosity @ 40°C (mm ² /s)	ASTM D445	8

The typical test data provided is taken from average values, there will be some variability in production and therefore do not constitute a specification.

Recommendations

- A Safety Data Sheet is available for consultation at www.aztecoils.co.uk.
- Before using the product, it is advised to consult the Metal Working Fluids section of the Government HSE website.
- Packaging should not be left exposed to elements and drums should be laid horizontally to prevent contamination.
- This product should not be stored at temperatures over 60°C, kept out of direct sunlight, protected from frost and fluctuations in temperature.
- When disposing of the product after use, please protect the environment and comply with local regulations.

In line with our policy of continued improvement, Aztec Oils reserve the right to change specifications and availability without prior notice. This product, used according to our recommendations and for its designed application, does not represent any particular risk. The information present in this technical data sheet is indicative of the product and is given in good faith, but should not form part of any specification.