





METALTEC MIRACUT HC 3

Product Code: NEAT043 | Revision: 20240821



A chlorinated low viscosity neat honing oil.

Available Pack Sizes







Applications

A versatile honing oil blended from top quality solvent refined base oils together with carefully selected lubricity and chlorinated additives. Blended to give high extreme pressure performance in a low viscosity oil for excellent performance and minimal tool wear.

Recommended by Aztec Oils as suitable for the following applications

Designed for use in a range of honing applications.

Benefits

- Anti-mist for an improved working environment.
- · Excellent results on a wide range of materials.
- · Exception tool life.
- Low viscosity for superb heat dissipation.
- Outstanding EP properties.
- · Sulphur free.

Typical ⁻	Test Data	
Copper Corrosion (3h/100°C)	ASTM D130	1
Density @ 15°C (kg/m³)	ASTM D4052	0.83
Flash Point (°C)	ASTM D92	>130
Kinematic Viscosity @ 40°C (mm ² /s)	ASTM D445	7

The typical test data provided is taken from average values, there will be some variability in production and therefore do not constitute a specification.

Recommendations

- A Safety Data Sheet is available for consultation at www.aztecoils.co.uk.
- Before using the product, it is advised to consult the Metal Working Fluids section of the Government HSE website.
- Packaging should not be left exposed to elements and drums should be laid horizontally to prevent contamination.
- This product should not be stored at temperatures over 60°C, kept out of direct sunlight, protected from frost and fluctuations in temperature.
- When disposing of the product after use, please protect the environment and comply with local regulations.

In line with our policy of continued improvement, Aztec Oils reserve the right to change specifications and availability without prior notice. This product, used according to our recommendations and for its designed application, does not represent any particular risk. The information present in this technical data sheet is indicative of the product and is given in good faith, but should not form part of any specification.