

METALTEC MIRACUT CF 30 FS

Product Code: NEAT048 | **Revision:** 20240821



A medium viscosity & heavy duty chlorine free neat metal working fluid.


Available Pack Sizes



20L



205L



1000L

Applications

Blended from highly refined base oils with sulphurised and phosphorus based extreme pressure additives. The carefully selected additive package provides extended tool life while delivering excellent surface finish. Anti-misting additives have been incorporated to aid compliance with the latest Health and Safety requirements and improve the work piece visibility.

Recommended by Aztec Oils as suitable for the following applications

Designed for heavy duty operations where a chlorine free oil is required and is suitable to use for turning, milling, drilling, reaming and some gear shaping applications. Not suitable for machining yellow metals.

Benefits

- Chlorine free.
- Exception tool life.
- Excellent surface finish.
- Low misting.

Typical Test Data

Appearance		Amber/brown
Density @ 15°C (kg/m ³)	ASTM D4052	0.88
Flash Point (°C)	ASTM D92	>190
Kinematic Viscosity @ 40°C (mm ² /s)	ASTM D445	26

The typical test data provided is taken from average values, there will be some variability in production and therefore do not constitute a specification.

Recommendations

- This product should not be stored at temperatures over 60°C, kept out of direct sunlight, protected from frost and fluctuations in temperature.
- A Safety Data Sheet is available for consultation at www.aztecoils.co.uk.
- Before using the product, it is advised to consult the Metal Working Fluids section of the Government HSE website.
- Packaging should not be left exposed to elements and drums should be laid horizontally to prevent contamination.
- When disposing of the product after use, please protect the environment and comply with local regulations.

In line with our policy of continued improvement, Aztec Oils reserve the right to change specifications and availability without prior notice. This product, used according to our recommendations and for its designed application, does not represent any particular risk. The information present in this technical data sheet is indicative of the product and is given in good faith, but should not form part of any specification.