


## MANUTEC ROCKDRILL M 32

**Product Code:** ROC007 | **Revision:** 20240820



Mineral based pneumatic rockdrill lubricant.

### Available Pack Sizes



### Applications

Rockdrill Oils are uniquely designed products for the lubrication of heavy-duty percussion and rotary pneumatic tools such as road breakers. The selected base oil provides maximum freedom from waxing to give a very low pour point. Special additive technology has been incorporated ensuring adhesiveness, extreme pressure capabilities, rust and corrosion protection with good emulsification characteristics.

Recommended by Aztec Oils as suitable for the following applications

Recommended for the lubrication of pneumatic tools such as rock drills, percussion drills, pavement breakers and jackhammers.  
ISO 6743-11 Class P

### Benefits

- Excellent corrosion resistance.
- Extreme pressure properties providing protection against wear from high-loads.
- Good adhesiveness to metal surfaces in the presence of moisture.
- Outstanding anti-oxidant properties.

### Typical Test Data

Density @ 15°C (kg/m <sup>3</sup> )	ASTM D4052	0.85
Flash Point (°C)	ASTM D92	>190
Kinematic Viscosity @ 40°C (mm <sup>2</sup> /s)	ASTM D445	32
Kinematic Viscosity @ 100°C (mm <sup>2</sup> /s)	ASTM D445	5.4
Pour Point (°C)	ASTM D97	<-25
Viscosity Index	ASTM D2207	105

The typical test data provided is taken from average values, there will be some variability in production and therefore do not constitute a specification.

### Health, Safety & Recommendations

- A Safety Data Sheet is available for consultation at [www.aztecoils.co.uk](http://www.aztecoils.co.uk).
- Packaging should not be left exposed to elements and drums should be laid horizontally to prevent contamination.
- This product should not be stored at temperatures over 60°C, kept out of direct sunlight, protected from frost and fluctuations in temperature.
- When disposing of the product after use, please protect the environment and comply with local regulations.

In line with our policy of continued improvement, Aztec Oils reserve the right to change specifications and availability without prior notice. This product, used according to our recommendations and for its designed application, does not represent any particular risk. The information present in this technical data sheet is indicative of the product and is given in good faith, but should not form part of any specification.