


METALTEC MIRADRAW C 90

Product Code: NEAT039 | **Revision:** 20260420



A general-purpose chlorinated neat metalworking fluid.

Available Pack Sizes



Applications

A versatile drawing and forming oil, suitable for severe metal forming and drawing operations. It is low odour during operation and sulphur-free. Blended from high-quality mineral base oils and enhanced with chlorinated and fatty ester additive technology, it delivers excellent extreme pressure performance, high reliability and superior protection under demanding conditions. Ideal for non-ferrous metals where consistent performance is critical.

Recommended by Aztec Oils as suitable for the following applications

Designed specifically for severe metal forming and drawing operations.

Benefits

- Exceptional tool life & component surface finish.
- Low odour & low misting for improved operator comfort.
- Sulphur free formulation.
- Outstanding boundary & extreme pressure (EP) lubrication.
- Will not stain non-ferrous metals.

Typical Test Data

Appearance		Clear to amber
Chlorine (%)		40
Density @ 25°C (kg/m ³)	ASTM D4052	1.13
Flash Point (°C)	ASTM D92	>200
Kinematic Viscosity @ 40°C (mm ² /s)	ASTM D445	90 (average)

The typical test data provided is taken from average values, there will be some variability in production and therefore do not constitute a specification.

Recommendations

- A Safety Data Sheet is available for consultation at www.aztecoils.co.uk.
- Before using the product, it is advised to consult the Metal Working Fluids section of the Government HSE website.
- Packaging should not be left exposed to elements and drums should be laid horizontally to prevent contamination.
- This product should not be stored at temperatures over 60°C, kept out of direct sunlight, protected from frost and fluctuations in temperature.
- When disposing of the product after use, please protect the environment and comply with local regulations.

In line with our policy of continued improvement, Aztec Oils reserve the right to change specifications and availability without prior notice. This product, used according to our recommendations and for its designed application, does not represent any particular risk. The information present in this technical data sheet is indicative of the product and is given in good faith, but should not form part of any specification.