

TOROTEC 0W-20 VL

Product Code: PCM028 | Revision: 20240909



Fully synthetic & low viscosity automotive engine oil.

Available Pack Sizes



Applications

A fully synthetic and low viscosity engine oil formulated for use with modern petrol and diesel engines, particularly those requiring ILSAC GF-5. Our specialist Adaptive Molecular Technology maintains engine power, maximises efficiency and improves reliability whilst supporting exhaust after-treatment devices throughout the vehicle's lifecycle.

Recommended by Aztec Oils as suitable for the following applications

API SN/CF
Chrysler MS-6395
ILSAC GF-5
Volvo VCC RBS0-2AE

May also be suitable to use with Honda, Hyundai, Infiniti, Kia, Lexus, Mazda, Nissan, Suzuki, and Toyota vehicles.

Benefits

- Compatible with engines using the latest Hybrid technology.
- Excellent low temperature performance.
- Improved performance and fuel efficiency.
- Long service intervals.
- Long term anti-wear and oxidation stability.
- Outstanding protection against wear, rust and corrosion.

Typical Test Data

Density @ 15°C (kg/m ³)	ASTM D4052	0.844
Flash Point (°C)	ASTM D92	>200
Kinematic Viscosity @ 40°C (mm ² /s)	ASTM D445	48
Kinematic Viscosity @ 100°C (mm ² /s)	ASTM D445	8.8
Pour Point (°C)	ASTM D97	-48
Total Base Number (mg KOH/g)	ASTM D2896	8.0
Viscosity Index	ASTM D2207	165

The typical test data provided is taken from average values, there will be some variability in production and therefore do not constitute a specification.

Health, Safety & Recommendations

Health, Safety & Recommendations

- A Safety Data Sheet is available for consultation at www.aztecoils.co.uk.
- Before using this product, the vehicles maintenance guide should be checked and oil changes must be carried out in accordance with the manufacturers' recommendations.
- Packaging should not be left exposed to elements and drums should be laid horizontally to prevent contamination.
- This product should not be stored at temperatures over 60°C, kept out of direct sunlight, protected from frost and fluctuations in temperature.
- When disposing of the product after use, please protect the environment and comply with local regulations.