

MANUTEC VACUUM PUMP M 68

Product Code: VAC002 | **Revision:** 20260129



Mineral based ashless lubricant for vacuum pumps.

Available Pack Sizes



Applications

A high-quality mineral based vacuum pump oil blended from premium paraffinic base oils and advanced ashless additive technology. The formulation is engineered to minimise deposit and varnish formation on internal components, ensuring clean system operation and efficient vacuum performance. It provides excellent oxidation stability and corrosion protection, helping to extend oil service life, reduce maintenance requirements and deliver reliable lubrication and sealing performance in rotary screw, rotary vane and other industrial vacuum pump systems.

Recommended by Aztec Oils as suitable for the following applications

ISO VG 68
Suitable for a wide range of positive displacement vacuum pumps, including rotary vane, rotary screw and reciprocating types.

Benefits

- Demulsifying to ensure rapid water separation.
- Excellent filterability.
- Good anti-foam & air release properties.
- Low ash formulation.
- Outstanding corrosion protection.
- Superior oxidation resistance to provide a long service life.

Typical Test Data

Density @ 15°C (kg/m ³)	ASTM D4052	0.86
Flash Point (°C)	ASTM D92	>220
Kinematic Viscosity @ 40°C (mm ² /s)	ASTM D445	68
Kinematic Viscosity @ 100°C (mm ² /s)	ASTM D445	8.7
Pour Point (°C)	ASTM D97	<-15
Viscosity Index	ASTM D2207	99

The typical test data provided is taken from average values, there will be some variability in production and therefore do not constitute a specification.

Health, Safety & Recommendations

- A Safety Data Sheet is available for consultation at www.aztecoils.co.uk.
- Packaging should not be left exposed to elements and drums should be laid horizontally to prevent contamination.
- This product should not be stored at temperatures over 60°C, kept out of direct sunlight, protected from frost and fluctuations in temperature.
- When disposing of the product after use, please protect the environment and comply with local regulations.

In line with our policy of continued improvement, Aztec Oils reserve the right to change specifications and availability without prior notice. This product, used according to our recommendations and for its designed application, does not represent any particular risk. The information present in this technical data sheet is indicative of the product and is given in good faith, but should not form part of any specification.